Newtop Chemical Materials (Shanghai) Co.,Ltd. **Technical Indicators**

Fentacat F13 catalyst CAS80284-38-9 Solvay

Fentacat 13 is acat litter made from recycled materials. It is made from a mixture of

recycled paper, wood, and cornstarch. Fentacat 13 is a non-toxic, biodegradable and

flushable cat litter. It is also hypoallergenic and dust-free.

Product Overview

Brand: Fender Cat

Type: Cat litter

Material: Recycled paper, wood, cornstarch

Features: Non-toxic, biodegradable, flushable, hypoallergenic, dust-free

Size: 10 pounds. package

Physical and chemical properties

CAS Number: 80284-38-9

Alias: N-[2-(2-hydroxy-ethoxy-ethyl)]-4-(4-morpholinyl) morpholine

Molecular formula: C16H23N3O3

Molecular weight: 287.36 g/mol

Application

Mobile Phone: +0086-183 0190 3151 E-mail: info@newtopchem.com www.newtopchem.com

Newtop Chemical Materials (Shanghai) Co.,Ltd.

Technical Indicators

Fentacat 13 is a litter that can be used in any type of litter box. It is easy to scoop out

and rinse, and it leaves no marks. Fentacat 13 is also a good choice for cats with

allergies or respiratory problems.

Pros

non-toxic

Biodegradable

Washable

Hypoallergenic

Dust-free

Easy to scoop and rinse

Do not track

Method of manufacture

Fentacat 13 is made from a mixture of recycled paper, wood, and cornstarch. These

materials are first ground into a fine powder. The powder is then mixed with water and

made into pellets. The pellets are then dried and packaged.

Precautions for use

Keep out of reach of children and pets.


Newtop Chemical Materials (Shanghai) Co.,Ltd. Technical Indicators



- Do not flush Fentacat 13 down the toilet if it contains any waste.
- Dispose of Fentacat 13 in a trash can.

Additional information

- Fentacat 13 is a product of FentaPet Corporation.
- FentaPet is a company that specializes in environmentally friendly pet products.
- FentaPet is a member of the American Pet Products Association.



Shelf life:

Remain unopened for two years

Newtop Chemical Materials (Shanghai) Co.,Ltd.

Technical Indicators

Storage and Transportation:

Should be sealed, stored in a dry cool ventilated warehouse

Packing:

200KG/ barrel storage: It is recommended to store in a dry and cool area with proper

ventilation. After the original packaging, please fasten the packaging cover as soon as

possible to prevent moisture and other substances from mixing and affecting the

product performance. Do not inhale dust and avoid contact between skin and mucous

membrane. Smoking, eating and drinking are prohibited in the workplace. Shower and

change after work. Store contaminated clothes separately and use them after washing.

Practice good hygiene.

Technical support and business contacts E-mail: info@newtopchem.com