

U-CAT 881 catalyst CAS111-34-2 Sanyo Japan

Product Description

U-CAT 881 is a clear, colorless to light yellow liquid with a slight odor. It is a water-based acrylic polyurethane coating that can be used in a variety of applications, including wood finish, metal finish, and concrete finish. U-CAT 881 is a high-quality paint known for its durability, water resistance, and ease of use.

Physical and chemical properties

Properties	value
CAS number	34-111-2
Molecular Formula	C ₁₂ H ₂₂ O ₁₁
Molecular weight	286.33 g/mole
Density	1.11g/cm ³

Flash point	107°C (225°F)
Boiling point	165°C (320°F)
Solubility in water	0.01%

Use

U-CAT 881 can be used in a variety of applications, including:

Wood finishes

Metal finish

Concrete finishing

Boat Building

Car repairs

Appliance repair

Furniture finishing

Knife finishing

Advantages

Newtop Chemical Materials (Shanghai) Co.,Ltd.

Address: Rm1104 ,No. 258, West SongXing Road, BaoShan District, Shanghai, China.

Mobile Phone: +0086-183 0190 3151 E-mail: info@newtopchem.com www.newtopchem.com

U-CAT 881 is a high quality coating with many advantages, including:

- durability
- Water resistance
- Easy to apply
- Low odor
- Non-toxic
- Low volatile organic compounds

Precautions

U-CAT 881 is a flammable liquid and should be handled with care. Always wear gloves, goggles, and respiratory protection when working with U-CAT 881. Do not use U-CAT 881 near a heat source or open flame. Be sure to keep U-CAT 881 out of reach of children and pets.



Shelf life:

Remain unopened for two years

Storage and Transportation:

Should be sealed, stored in a dry cool ventilated warehouse

Packing:

200KG/ barrel storage: It is recommended to store in a dry and cool area with proper ventilation. After the original packaging, please fasten the packaging cover as soon as possible to prevent moisture and other substances from mixing and affecting the product performance. Do not inhale dust and avoid contact between skin and mucous membrane. Smoking, eating and drinking are prohibited in the workplace. Shower and change after work. Store contaminated clothes separately and use them after washing. Practice good hygiene.

Technical support and business contacts E-mail: info@newtopchem.com